## 100-101 Torpedo Anti-skate Stud



### Description

Manufactured from 316 grade steel.
Satin polish finish as standard.
Constructed from non corrosive material.
Decorative feature anti-skating device.
2no. M8 studs to be resin fixed to concrete, stone or timber.


### **Dimensions**


25mmø 80mm Overall length + 12.5mm height 4mm Internal radius

#### **Options**

Specify required internal radius to suit edge of base product.

304 Grade stainless steel
Bright polish finish
Bespoke sizing
Full installation service








### 100-101 Torpedo Anti-skate Stud

Installation



### Installation

- 1. Drill 2no. holes 10mm in diameter to the depths shown above.
- 2. Remove dust and debris caused by drilling.
- 3. Following the product guidelines heat the Polymer Modified Adhesive and pour a sufficient amount to fill the drilled hole.
- 4. Push the stud into the hole firmly ensuring an edge seal around the entire stud
- 5. Allow a few minutes for the Polymer Modified Adhesive to set.

### Cleaning & Maintenance

This product is designed for all weather exposure requiring only minimal maintenance as detailed below.

<u>Stainless Steel:</u> Manufactured from premium grade stainless steel. Maintenance free, inspect fixing every 6 months. Add additional Adhesive where required.



# 100-101 Torpedo Anti-skate Stud



