


108-101 Sleeper Anti-Skate Stud



Above. Shown with attractive machine finish

Description

Manufactured from 316 grade steel.
Satin polish finish as standard.
Constructed from non corrosive material.
Decorative feature anti-skating device.
2no. M8 studs to be resin fixed to concrete, stone or timber.


Standard Dimensions

24mmø
100mm Overall length + 22mm height

Bespoke Options


304 Grade stainless steel - Bronze - Aluminium - Anodised Aluminium
Bright Polish Finish - Sandblasted Finish - Anodise to any RAL colour
Bespoke sizing

Full installation service - POA



108-101 Sleeper Anti-Skate Stud

Installation

**Installation**

1. Drill 2no. holes 10mm in diameter to the depths shown above.
2. Remove dust and debris caused by drilling.
3. Following the product guidelines, found on the Resin tube, pour a sufficient amount to fill the drilled hole.
4. Push the stud into the hole firmly ensuring an edge seal around the entire stud
5. Allow a few minutes for the Polymer Modified Adhesive to set.

Cleaning & Maintenance

This product is designed for all weather exposure requiring only minimal maintenance as detailed below.

Stainless Steel: Manufactured from premium grade stainless steel. Maintenance free, inspect fixing every 6 months. Add additional Adhesive where required.

DATASHEET

108-101 Sleeper Anti-Skate Stud

